



Is the APPL Class active on your Production z/OS systems?

Responses	Count	Percent %
No	3	9.1%
Yes, on some systems	3	9.1%
Yes, on all systems	27	81.8%
Total	33	100%




In the RACF database with the most APPL profiles, roughly how many profiles are defined?

Responses	Count	Percent %
25 and Under	11	40.0%
26-50	4	13.8%
51-100	7	24.1%
Over 100	7	24.1%
Total	29	100%




What types of APPLIDs are protected by APPL profiles?

Responses	Count	Percent %
CICS	18	62.1%
IMS	4	13.8%
TSO	13	44.8%
FTP	4	13.8%
Unix - OMVSAPPL	6	20.7%
CIM Server - CFZAPPL	7	24.1%
APPC/LU Conversations	4	13.8%
Other	23	79.3%
Responses	29	




Is the APPL class RACLISTed?

Responses	Count	Percent %
No	1	3.4%
Yes, on some systems	4	13.8%
Yes, on all systems	24	82.8%
Total	29	100%




Have you added APPLDATA('RACF-INITSTATS(DAILY)') to your APPL profiles?

Responses	Count	Percent %
No	24	82.8%
Yes, to only a few profiles	2	6.9%
Yes, to less than half the profiles	0	0.0%
Yes, to more than half the profiles	3	10.3%
Total	29	100%




On any of the systems that have APPL profiles, do you have an * or ** catch-all type profile?

Responses	Count	Percent %
No	20	69.0%
Yes	9	31.0%
Total	29	100%



What is the highest UACC or ID(*) permit on any of your catch-all profiles?

Responses	Count	Percent %
ALTER	1	11.1%
CONTROL	1	11.1%
UPDATE	0	0.0%
READ	5	55.6%
NONE	2	22.2%
Responses	9	100%



Do you have AUDIT(ALL(READ)) on any of your catch-all profiles?

Responses	Count	Percent %
No	6	66.7%
Yes	3	33.3%
Total	9	100%

